



**Notes:**

1. Piling works to be constructed in accordance with ICE Specification for Piling and Embedded Retaining Wall
2. Bearing piles to be designed CFA / Boror Piles to B.S. 8004, to adequately sustain a S.W.L. as noted, based on borehole logs / site investigation information and IBC Piling Schedule.
3. Piling Contractor should allow at Tender Stage for any additional boreholes they deem necessary for design of piles.
4. Piling Contractor to allow for presence of temporary works as indicated with reference to size and type of machinery to be used on site.
5. Piling contractor to be noted location of site with regards to access.

Health & Safety

1. All works to be carried out by a Contractor competent to undertake the construction of works as indicated on this drawing. This drawing is to be read in conjunction with the job specific risk assessment. The hazards noted are in addition to the normal hazards and risks faced by a competent Contractor when dealing with the type of works detailed on this drawing.

P02	Layout updated to coincide with updated piling layout.	09.01.19	JA	DC
P01	<b>Issued for Tender</b>	05.09.18	JA	DC
Rev	<b>Amendment</b>	<b>Date</b>	<b>Issued By</b>	<b>Chkd By</b>

 <h1>Ian Black Consulting Ltd</h1> <p>consulting structural and civil engineers</p>		Wallace Buildings 1 Market Place Lissburn BT28 1AN Tel: 028 92676500 Fax: 028 92676501 Email: admin@ianblackconsulting.co.uk Web: www.ianblackconsulting.co.uk	
Project	Renfrew Street, Glasgow		
Title	Proposed Piling Platform Layout	Project No.	1504
Client	McAlee & Rushe	Scale	1:125
Status Code	D2 - Suitable for Tender	Revision	P02
Drg. No.	RSG-IBC-ZZ-PL-DR-S-600_0001		